	Application No.	Applicant(s)
Notice of Allowability	10/829,670	WATANABE, TAKAYUKI
	Examiner	Art Unit
	Yonel Beaulieu	3661
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication (GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>arguments filed 9/27/06</u> .		
2. The allowed claim(s) is/are 1-20.		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Thether (Liferand S	National Assertance
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO/SB/08), 	 Interview Summary Paper No./Mail Dai □ Examiner's Amendr 	te .
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	_	ent of Reasons for Allowance
of Biological Material	9. ☐ Other	A TIOGOTIO IOI AIIOMAIIOO
	5. <u></u> .	122

Allowable Subject Matter

Claims 1 – 20 are allowed in view of Applicant's arguments. The following is a statement of reasons for indicating allowable subject matter.

As argued, the prior art fail to fairly teach a navigation system comprising, in combination with other limitations, using an input image data as a search key or searching a database of stored image data to extract image data having a required level of resemblance to the input image data; correlating image data with position information and setting the position of an image selected by a user as a destination.

Furthermore, the prior art of record fail to teach a navigation system comprising, among other limitations, an image search unit which includes a feature-amount extraction unit for extracting a feature amount of the first search key and a matching unit for extracting at least one piece of image data whose feature amount bears a predetermined or higher level of resemblance to the extracted feature amount by comparing the extracted feature amount against a feature amount of each of the image data stored in the image database; an area segmenting unit for extracting an outline of an object included in the first search key and segmenting a predetermined area from the first search key, wherein the image search unit searches across the image database by using image data within the segmented area, as a second key; a character search unit for searching point-determination information that is stored and correlated with the image data stored in the image database by using the recognized character information,

Page 3

as a third search key, and extracting at least one piece of image data whose character information bears a predetermined or higher level of resemblance to the third search key, wherein a search-result output unit provides a plurality of narrowing-down conditions to the user for reducing the number of the extracted image data and outputs image data obtained by the reduction according to a predetermined condition selected by the user from among the narrowing-down conditions.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yonel Beaulieu whose telephone number is (571) 272-6955. The examiner can normally be reached on Mon., Wed. & Thur. between 0900 and 1600.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas BLACK can be reached on (571) 272-6956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/829,670

Art Unit: 3661

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Yone Beaulieu Primary Examiner Art Unit 3661